

Four Degrees of Separation

Lars Backstrom* Paolo Boldi† Marco Rosa† Johan Ugander* Sebastiano Vigna†

November 22, 2011

Abstract

Frigyes Karinthy, in his 1929 short story “Láncszemek” (“Chains”) suggested that any two persons are distanced by at most six friendship links.¹ Stanley Milgram in his famous paper [17] challenged people to route postcards to a fixed recipient by passing them only through direct acquaintances. The average length of the path of the postcards layed between 4.6 and 6.1, depending on the sample of people chosen.

We report the results of the first world-scale social-network graph-distance computations, using the entire Facebook network of active users (≈ 721 million users, ≈ 69 billion friendship links). The average distance we observe is 4.74, showing that the world is even smaller than we expected. More generally, we study the distance distribution of Facebook and of some interesting geographic subgraphs, looking also at their evolution over time.

The networks we are able to explore are almost two orders of magnitude larger than those analysed in the previous literature. We report detailed statistical metadata showing that our measurements (which rely on probabilistic algorithms) are very accurate.

1 Introduction

At the 20th World–Wide Web Conference, in Hyderabad, India, one of the authors (Sebastiano) presented a new tool for studying the distance distribution of very large graphs: HyperANF [3]. Building on previous graph compression [4] work and on the idea of diffusive computation pioneered in [18], the new tool made it possible to accurately study the dis-

tance distribution of graphs orders of magnitude larger than it was previously possible.

One of the goals in studying the distance distribution is the identification of interesting statistical parameters that can be used to tell proper social networks from other complex networks, such as web graphs. More generally, the distance distribution is one interesting *global* feature that makes it possible to reject probabilistic models even when they match local features such as the in-degree distribution.

In particular, earlier work had shown that the *spid*², which measures the *dispersion* of the distance distribution, appeared to be smaller than 1 (underdispersion) for social networks, but larger than one (overdispersion) for web graphs [3]. Hence, during the talk, one of the main open questions was “What is the spid of Facebook?”.

Lars Backstrom happened to listen to the talk, and suggested a collaboration studying the Facebook graph. This was of course an extremely intriguing possibility: beside testing the “spid hypothesis”, computing the distance distribution of the Facebook graph would have been the largest Milgram-like [17] experiment ever performed, orders of magnitudes larger than previous attempts (during our experiments Facebook has ≈ 721 million active users and ≈ 69 billion friendship links).

This paper reports our findings in studying the distance distribution of the largest electronic social network ever created. That world is smaller than we thought: the average distance of the current Facebook graph is 4.74. Moreover, the spid of the graph is just 0.08, corroborating the conjecture [3] that proper social networks have a spid well below one. We also observe, contrary to previous literature analysing graphs orders of magnitude smaller, both a stabilisation of the average distance over time, and that the density of the Facebook graph over time does not neatly fit previous models.

Towards a deeper understanding of the structure of the Facebook graph, we also apply recent compression techniques that exploit the underlying cluster structure of the graph to increase *locality*. The results obtained suggests the existence of overlapping clusters similar to those observed in other social networks.

²The spid (shortest-paths index of dispersion) is the variance-to-mean ratio of the distance distribution.

*Facebook.

†DSI, Università degli Studi di Milano, Italy. Paolo Boldi, Marco Rosa and Sebastiano Vigna have been partially supported by a Yahoo! faculty grant and by MIUR PRIN “Query log e web crawling”.

¹The exact wording of the story is slightly ambiguous: “He bet us that, using no more than five individuals, one of whom is a personal acquaintance, he could contact the selected individual [...]”. It is not completely clear whether the selected individual is part of the five, so this could actually allude to distance five or six in the language of graph theory, but the “six degrees of separation” phrase stuck after John Guare’s 1990 eponymous play. Following Guare’s interpretation (see further on), we will assume that “degree of separation” is the same as “distance minus one”.

Replicability of scientific results is important. While for obvious nondisclosure reasons we cannot release to the public the actual 30 graphs that have been studied in this paper, we will release publicly the derived data upon which the tables and figures of this paper have been built, that is, the Web-Graph *properties*, which contain structural information about the graph, and the probabilistic estimations their neighbourhood functions (see below) which have been used to study their distance distributions. The software used in this paper is distributed under the (L)GPL General Public License.³

2 Related work

The most obvious precursor of our work is Milgram’s celebrated “small world” experiment, described first in [17] and later in [20]: Milgram’s works were actually following a stream of research started in sociology and psychology in the late 50s [9]. In his experiment, Milgram aimed at answering the following question (in his words): “given two individuals selected randomly from the population, what is the probability that the minimum number of intermediaries required to link them is 0, 1, 2, . . . , k ?”.

The technique Milgram used (inspired by [19]) was the following: he selected 296 volunteers (the *starting population*) and asked them to dispatch a message to a specific individual (the *target person*), a stockholder living in Sharon, MA, a suburb of Boston, and working in Boston. The message could not be sent directly to the target person (unless the sender knew him personally), but could only be mailed to a personal acquaintance who is more likely than the sender to know the target person. The starting population was selected as follows: 100 of them were people living in Boston, 100 were Nebraska stockholders (i.e., people living far from the target but sharing with him their profession) and 96 were Nebraska inhabitants chosen at random.

In a nutshell, the results obtained from Milgram’s experiments were the following: only 64 chains (22%) were completed (i.e., they reached the target); the average number of persons in these chains was 5.2, with a marked difference between the Boston group (the average length for this group was 4.4) and the rest of the starting population, whereas the difference between the two other subpopulations was not statistically significant. The main conclusions outlined in Milgram’s paper were that the average path length is small, much smaller than expected, and that geographic location seems to have an impact on the average length whereas other information (e.g., profession) does not.

There is of course a fundamental difference between our experiment and what Milgram did: Milgram was measuring the average length of a *routing path* on a social network, which is

of course an upper bound on the average distance (as the people involved in the experiment were not necessarily sending the postcard to an acquaintance on a shortest path to the destination).⁴ In a sense, the results he obtained are even more striking, because not only do they prove that the world is small, but that the actors living in the small world are able to exploit its smallness. It should be highlighted, however, that in [17, 20], as well as in most of the subsequent literature on the experiment, most of the emphasis (and criticism; see [6] for a recent account) is reserved to the (indirect) observation that the average distance is small. Incidentally, there have been some attempts to reproduce Milgram-like routing experiments on various large networks [15, 11, 8], but the results in this direction are still very preliminary because notions such as identity, knowledge or routing are still poorly understood in social networks.

We limited ourselves to the part of Milgram’s experiment that is more clearly defined, that is, the measurement of shortest paths. The largest experiment similar to the ones presented here that we are aware of is [12], where the authors considered a *communication graph* with 180 million nodes and 1.3 billion edges extracted from a snapshot of the Microsoft Messenger network; they find an average distance of 6.6. Note, however, that the communication graph in [12] has an edge between two persons only if they communicated during a specific one-month observation period, and thus does not take into account friendship links through which no communication was detected.

The authors of [21], instead, study the distance distribution of some small-sized social networks. In both cases the networks were undirected and small enough (by at least two orders of magnitude) to be accessed efficiently in a random fashion, so the authors used *sampling* techniques.

Analysing the evolution of social networks in time is also a lively trend of research. Leskovec, Kleinberg and Faloutsos observe in [13] that the average degree of complex networks increase over time while the *effective diameter* shrinks. Their experiments are conducted on a much smaller scale (their largest graph has 4 millions of nodes and 16 millions of arcs), but it is interesting that the phenomena observed seems quite consistent. Probably the most controversial point is the hypothesis that the number of edges $m(t)$ at time t is related to the number of nodes $n(t)$ by the following relation:

$$m(t) \propto n(t)^a,$$

⁴Incidentally, this observation is at the basis of one of the most intense monologues in Guare’s play: Ouisa, unable to locate Paul, the con man who convinced them he is the son of Sidney Poitier, says “I read somewhere that everybody on this planet is separated by only six other people. Six degrees of separation. Between us and everybody else on this planet. [...] But to find the right six people.” Note that this fragment of the monologue clearly shows that Guare’s interpretation of the “six degree of separation” idea is equivalent to distance *seven* in the graph-theoretical sense.

³See <http://webgraph.law.dsi.unimi.it/>.

where a is a fixed exponent usually lying in the interval $(1..2)$. We will discuss this hypothesis in light of our findings.

3 Definitions and Tools

The *neighbourhood function* $N_G(t)$ of a graph G returns for each $t \in \mathbf{N}$ the number of pairs of nodes $\langle x, y \rangle$ such that y is reachable from x in at most t steps. It provides data about how fast the “average ball” around each node expands. From the neighbourhood function it is possible to derive the distance distribution (between reachable pairs), which gives for each t the fraction of reachable pairs at distance exactly t .

In this paper we use HyperANF, a diffusion-based algorithm (building on ANF [18]) that is able to approximate quickly the neighbourhood function of very large graphs; our implementation uses, in turn, WebGraph [4] to represent in a compressed but quickly accessible form the graphs to be analysed.

HyperANF is based on the observation (made in [18]) that $B(x, r)$, the ball of radius r around node x , satisfies

$$B(x, r) = \bigcup_{x \rightarrow y} B(y, r - 1) \cup \{x\}.$$

Since $B(x, 0) = \{x\}$, we can compute each $B(x, r)$ incrementally using sequential scans of the graph (i.e., scans in which we go in turn through the successor list of each node). The obvious problem is that during the scan we need to access randomly the sets $B(x, r - 1)$ (the sets $B(x, r)$ can be just saved on disk on a *update file* and reloaded later).

The space needed for such sets would be too large to be kept in main memory. However, HyperANF represents these sets in an *approximate* way, using *HyperLogLog counters* [7], which should be thought as dictionaries that can answer reliably just questions about size. Each such counter is made of a number of small (in our case, 5-bit) *registers*. In a nutshell, a register keeps track of the maximum number M of trailing zeroes of the values of a good hash function applied to the elements of a sequence of nodes: the number of distinct elements in the sequence is then proportional to 2^M . A technique called *stochastic averaging* is used to divide the stream into a number of substreams, each analysed by a different register. The result is then computed by aggregating suitably the estimation from each register (see [7] for details).

The main performance challenge to solve is how to quickly compute the HyperLogLog counter associated to a union of balls, each represented, in turn, by a HyperLogLog counter: HyperANF uses an algorithm based on word-level parallelism that makes the computation very fast, and a carefully engineered implementation exploits multicore architectures with a linear speedup in the number of cores.

Another important feature of HyperANF is that it uses a *systolic* approach to avoid recomputing balls that do not change during an iteration. This approach is fundamental to be able to compute the entire distance distribution, avoiding the arbitrary termination conditions used by previous approaches, which have no provable accuracy (see [3] for an example).

3.1 Theoretical error bounds

The result of a run of HyperANF at the t -th iteration is an estimation of the neighbourhood function in t . We can see it as a random variable

$$\hat{N}_G(t) = \sum_{0 \leq i < n} X_{i,t}$$

where each $X_{i,t}$ is the HyperLogLog counter that counts nodes reached by node i in t steps (n is the number of nodes of the graph). When m registers per counter are used, each $X_{i,t}$ has a guaranteed relative standard deviation $\eta_m \leq 1.06/\sqrt{m}$.

It is shown in [3] that the output $\hat{N}_G(t)$ of HyperANF at the t -th iteration is an asymptotically almost unbiased estimator of $N_G(t)$, that is

$$\frac{E[\hat{N}_G(t)]}{N_G(t)} = 1 + \delta_1(n) + o(1) \text{ for } n \rightarrow \infty,$$

where δ_1 is the same as in [7][Theorem 1] (and $|\delta_1(x)| < 5 \cdot 10^{-5}$ as soon as $m \geq 16$). Moreover, $\hat{N}_G(t)$ has a relative standard deviation not greater than that of the X_i 's, that is

$$\frac{\sqrt{\text{Var}[\hat{N}_G(t)]}}{N_G(t)} \leq \eta_m.$$

In particular, our runs used $m = 64$ ($\eta_m = 0.1325$) for all graphs except for the two largest Facebook graphs, where we used $m = 32$ ($\eta_m = 0.187$). Runs were repeated so to obtain a uniform relative standard deviation for all graphs.

Unfortunately, the relative error for the neighbourhood function becomes an *absolute* error for the distance distribution. Thus, the theoretical bounds one obtains for the moments of the distance distribution are quite ugly: nonetheless, both the sample average and the sample variance turn out to be estimators for the average and variance of the actual distribution (see [3]). We will discuss this issue in Section 4.9.

4 Experiments

The graphs analysed in this paper are graphs of Facebook users who were active in May of 2011; an active user is one who has logged in within the last 28 days. The decision to restrict our study to active users allows us to eliminate accounts that have been abandoned in early stages of creation,

and focus on accounts that plausibly represent actual individuals. In accordance with Facebook’s data retention policies, historical user activity records are not retained, and historical graphs for each year were constructed by considering currently active users that were registered on January 1st of that year, along with those friendship edges that were formed prior to that date. The “current” graph is simply the graph of active users at the time when the experiments were performed (May 2011). The graph predates the existence of Facebook “subscriptions”, a directed relationship feature introduced in August 2011, and also does not include “pages” (such as celebrities) that people may “like”. For standard user accounts on Facebook there is a limit of 5 000 possible friends.

We decided to extend our experiments in two directions: regional and temporal. We thus analyse the entire Facebook graph (**fb**), the USA subgraph (**us**), the Italian subgraph (**it**) and the Swedish (**se**) subgraph. We also analysed a combination of the Italian and Swedish graph (**itse**) to check whether combining two regional but distant networks could significantly change the average distance, in the same spirit as in the original Milgram’s experiment.⁵ For each graph we compute the distance distribution from 2007 up to today by performing several HyperANF runs, obtaining an estimate of values of neighbourhood function with relative standard deviation at most 5.8%: in several cases, however, we performed more runs, obtaining a higher precision. We report derived values (such as average distances) by the mean of the values computed on each run, and the associated sample standard deviation.

4.1 Setup

The computations were performed on a 24-core machine with 72 GiB of memory and 1 TiB of disk space.⁶ The first task was to import the Facebook graph(s) into a compressed form for WebGraph [4], so that the multiple scans required by HyperANF’s diffusive process could be carried out relatively quickly. This part required some massaging of Facebook’s internal IDs into a contiguous numbering: the resulting current **fb** graph (the largest we analysed) was compressed to 345 GB at 20 bits per arc, which is 86% of the information-theoretical lower bound ($\log \binom{n^2}{m}$ bits, where n is the number of nodes and m the number of arcs).⁷ Whichever coding we

⁵To establish geographic location, we use the users’ *current* geo-IP location; this means, for example, that the users in the it-2007 graph are users who are today in Italy and were on Facebook on January 1, 2007 (most probably, American college students then living in Italy).

⁶We remark that the commercial value of such hardware is of the order of a few thousand dollars.

⁷Note that we measure compression with respect to the lower bound on *arcs*, as WebGraph stores *directed* graphs; however, with the additional knowledge that the graph is undirected, the lower bound should be applied to *edges*, thus doubling, in practice, the number of bits used.

choose, for half of the possible graphs with n nodes and m arcs we need at least $\lceil \log \binom{n^2}{m} \rceil$ bits per graph: the purpose of compression is precisely to choose the coding so to represent interesting graphs in a smaller space than that required by the bound.

To understand what is happening, we recall that WebGraph uses the BV compression scheme [4], which applies three intertwined techniques to the successor list of a node:

- successors are (partially) *copied* from previous nodes within a small window, if successors lists are similar enough;
- successors are *intervalised*, that is, represented by a left extreme and a length, if significant contiguous successor sequences appear;
- successors are *gap-compressed* if they pass the previous phases: instead of storing the actual successor list, we store the differences of consecutive successors (in increasing order) using instantaneous codes.

Thus, a graph compresses well when it exhibits *similarity* (nodes with near indices have similar successor lists) and *locality* (successor lists have small gaps).

The better-than-random result above (usually, randomly permuted graphs compressed with WebGraph occupy 10 – 20% more space than the lower bound) has most likely been induced by the renumbering process, as in the original stream of arcs all arcs going out from a node appeared consecutively; as a consequence, the renumbering process assigned consecutive labels to all yet-unseen successors (e.g., in the initial stages successors were labelled contiguously), inducing some locality.

It is also possible that the “natural” order for Facebook (essentially, join order) gives rise to some improvement over the information-theoretical lower bound because users often join the network at around the same time as several of their friends, which causes a certain amount of locality and similarity, as circle of friends have several friends in common.

We were interested in the first place to establish whether more locality could be induced by suitably permuting the graph using *layered labelled propagation* [2] (LLP). This approach (which computes several clusterings with different levels of granularity and combines them to sort the nodes of a graph so to increase its locality and similarity) has recently led to the best compression ratios for social networks when combined with the BV compression scheme. An increase in compression means that we were able to partly understand the cluster structure of the graph.

We remark that each of the clusterings required by LLP is in itself a *tour de force*, as the graphs we analyse are almost two orders of magnitude larger than any network used for experiments in the literature on graph clustering. Indeed,

	it	se	itse	us
Original	14.8 (83%)	14.0 (86%)	15.0 (82%)	17.2 (82%)
LLP	10.3 (58%)	10.2 (63%)	10.3 (56%)	11.6 (56%)

Table 1: The number of bits per link and the compression ratio (with respect to the information-theoretical lower bound) for the current graphs (except **fb**) in the original order and for the same graphs permuted by layered label propagation [2].




Figure 1: The change in distribution of the logarithm of the gaps between successors when the current **us** graph is permuted by layered label propagation. See also Table 1.

applying LLP to the current **us** graph required 6.5 hours of computation on our hardware.

We applied layered labelled propagation and re-compressed our graphs (the current version), obtaining a significant improvement. In Table 1 we show the results: we were able to reduce the graph size by 30%, which suggests that LLP has been able to discover several significant clusters.

The change in structure can be easily seen from Figure 1, where we show the distribution of the binary logarithm of gaps between successors for the current **us** graph.⁸ The smaller the gaps, the higher the locality. In the graph with renumbered Facebook IDs, the distribution is bimodal: there is a local maximum at 1–2, showing that there is some locality, but the bulk of the probability mass is around 18–19, which is slightly less than the information-theoretical lower bound (≈ 21).

In the graph permuted with LLP, however, the distribution radically changes: it is now (mostly) beautifully monotonically decreasing, with a small bump at 20, which testifies the existence of a small core of “randomness” in the graph that LLP was not able to tame.

Regarding similarity, we see an analogous phenomenon: the number of successors represented by copy has almost doubled, going from 11% to 21%. The last datum is in line with other social networks (web graphs, on the contrary, are extremely redundant and more than 80% of the successors are

⁸The timings and data for the **fb** graph will be reported in an updated version of the paper.

usually copied). Moreover, disabling copying altogether results in modest increase in size ($\approx 5\%$), again in line with other social networks, which suggests that for most applications it is better to disable copying at all to obtain faster random access.

The compression ratio is around 60%, which is slightly worse than other similar social networks, such as LiveJournal (55%) or DBLP (40%) [2]⁹. This might be due to several phenomena: First, our LLP runs were executed with only half the number of clusters, and for each cluster we restricted the number of iterations to just four, to make the whole execution of LLP feasible. Thus, our runs are capable of finding considerably less structure than the runs we had previously performed for other networks. Second, the number of nodes is much larger: there is some cost in writing down gaps (e.g., using γ , δ or ζ codes) that is dependent on their absolute magnitude, and the lower bound does not take into account that cost.

4.2 Running

Since most of the graphs, because of their size, had to be accessed by memory mapping, we decided to store all counters (both those for $B(x, r - 1)$ and those for $B(x, r)$) in main memory, to avoid excessive I/O. The runs of HyperANF on the whole Facebook graph used 32 registers, so the space for counters was about 27 GiB (e.g., we could have analysed a graph with four times the number of nodes on the same hardware). A run on the current Facebook graph required about 20 hours, whereas on the current **us** graph it required about 4 hours. Note that this timings would scale linearly with an increase in the number of cores.

4.3 General comments

In September 2006, Facebook was opened to non-college students: there was an instant surge in subscriptions, as our data shows. In particular, the **it** and **se** subgraphs from January 1, 2007 were highly disconnected, as shown by the incredibly low percentage of reachable pairs we estimate in Table 9. Even Facebook itself was rather disconnected, but all the data we compute stabilizes (with small oscillations)

⁹The interested reader will find similar data for several type of networks at the LAW web site (<http://law.dsi.unimi.it/>).




Figure 2: The probability mass functions of the distance distributions of the current graphs (truncated at distance 10).

after 2009, with essentially all pairs reachable. Thus, we consider the data for 2007 and 2008 useful to observe the evolution of Facebook, but we do not consider them representative of the underlying human social-link structure.

	it	se	itse	us	fb
2007	1.31	3.90	1.50	119.61	99.50
2008	5.88	46.09	36.00	106.05	76.15
2009	50.82	69.60	55.91	111.78	88.68
2010	122.92	100.85	118.54	128.95	113.00
2011	198.20	140.55	187.48	188.30	169.03
current	226.03	154.54	213.30	213.76	190.44

Table 4: Average degree of the datasets.

	it	se	itse	us	fb
2007	0.04	10.23	0.19	100.00	68.02
2008	25.54	93.90	80.21	99.26	89.04

Table 9: Percentage of reachable pairs 2007–2008.

4.4 The distribution

Figure 2 displays the probability mass functions of the current graphs. We will discuss later the variation of the average distance and *spid*, but qualitatively we can immediately distinguish the *regional* graphs, concentrated around distance




Figure 3: The average distance graph. See also Table 6.

four, and the *whole* Facebook graph, concentrated around distance five. The distributions of *it* and *se*, moreover, have significantly less probability mass concentrated on distance five than *itse* and *us*,

The variance data (Table 7 and Figure 4) are quite difficult to interpret: the more striking datum is the consistent fall of the variance for the *fb* graph since 2010.

4.5 Average degree and density

Table 4 shows the relatively quick growth in time of the average degree of all graphs we consider. The more users join the network, the more existing friendship links are uncovered. In Figure 6 we show a loglog-scaled plot of the same data: with the small set of points at our disposal, it is difficult to draw reliable conclusions, but we are not always observing the power-law behaviour suggested in [13]: see, for instance, the change of the slope for the *us* graph.¹⁰

The *density* of the network, on the contrary, decreases.¹¹ In Figure 5 we plot the density (number of edges divided by number of nodes) of the graphs against the number of nodes (see also Table 5). There is some initial alternating

¹⁰We remind the reader that on a log-log plot almost anything “looks like” a straight line. The quite illuminating examples shown in [14], in particular, show that goodness-of-fit tests are essential.

¹¹We remark that the authors of [13] call *densification* the increase of the average degree, in contrast with established literature in graph theory, where *density* is the fraction of edges with respect to all possible edges (e.g., $2m/(n(n-1))$). We use “density”, “densification” and “sparsification” in the standard sense.

	it	se	itse	us	fb
2007	159.8 K (105.0 K)	11.2 K (21.8 K)	172.1 K (128.8 K)	8.8 M (529.3 M)	13.0 M (644.6 M)
2008	335.8 K (987.9 K)	1.0 M (23.2 M)	1.4 M (24.3 M)	20.1 M (1.1 G)	56.0 M (2.1 G)
2009	4.6 M (116.0 M)	1.6 M (55.5 M)	6.2 M (172.1 M)	41.5 M (2.3 G)	139.1 M (6.2 G)
2010	11.8 M (726.9 M)	3.0 M (149.9 M)	14.8 M (878.4 M)	92.4 M (6.0 G)	332.3 M (18.8 G)
2011	17.1 M (1.7 G)	4.0 M (278.2 M)	21.1 M (2.0 G)	131.4 M (12.4 G)	562.4 M (47.5 G)
current	19.8 M (2.2 G)	4.3 M (335.7 M)	24.1 M (2.6 G)	149.1 M (15.9 G)	721.1 M (68.7 G)

Table 2: Number of nodes and friendship links of the datasets. Note that each friendship link, being undirected, is represented by a pair of symmetric arcs.

	it	se	itse	us	fb
2007	387.0 K	51.0 K	461.9 K	1.8 G	2.3 G
2008	3.9 M	96.7 M	107.8 M	4.0 G	9.2 G
2009	477.9 M	227.5 M	840.3 M	9.1 G	28.7 G
2010	3.6 G	623.0 M	4.5 G	26.0 G	93.3 G
2011	8.0 G	1.1 G	9.6 G	53.6 G	238.1 G
current	8.3 G	1.2 G	9.7 G	68.5 G	344.9 G

Table 3: Size in bytes of the datasets.

Lower bounds from HyperANF runs

	it	se	itse	us	fb
2007	42	18	42	14	15
2008	29	18	25	18	17
2009	22	17	18	17	16
2010	19	20	20	20	16
2011	18	21	18	19	36
current	20	20	20	21	59

Exact diameter

current	25	23	27	30	—
---------	----	----	----	----	---

Table 10: Lower bounds for the diameter of all graphs, and exact values for the current graphs computed using the double-sweep-fringe algorithm.

behaviour, but on the more complete networks (**fb** and **us**) the trend in sparsification is very evident.

Geographical concentration, however, increases density: in Figure 5 we can see the lines corresponding to our regional graphs clearly ordered by geographical concentration, with the **fb** graph in the lowest position.

4.6 Average distance

The results concerning average distance are displayed in Figure 3 and Table 6. The average distance¹² on the Facebook

¹²In some previous literature (e.g., [13]), the 90% percentile (possibly with some interpolation) of the distance distribution, called *effective diameter*, has been used in place of the average distance. Having at our

current graph is 4.74: on average, four degrees of separation are enough!¹³ Moreover, a closer look at the distribution shows that 92% of the reachable pairs of individuals are at distance five or less.

We note that both on the **it** and **se** graphs we find a significantly lower, but similar value. We interpret this result as telling us that the average distance is actually dependent on the geographical closeness of users, more than on the actual size of the network. This is confirmed by the higher average distance of the **itse** graph.

During the fastest growing years of Facebook our graphs show a quick decrease in the average distance, which however appears now to be stabilizing. This is not surprising, as “shrinking diameter” phenomena are always observed when a large network is “uncovered”, in the sense that we look at larger and larger induced subgraphs of the underlying global human network. At the same time, as we already remarked, density was going down steadily. We thus see the small-world phenomenon fully at work: a smaller fraction of arcs connecting the users, but nonetheless a lower average distance.

To make more concrete the “degree of separation” idea, in Table 11 we show the percentage of reachable pairs *within*

disposal tools that can compute easily the average distance, which is a parameterless, standard feature of a distribution, we prefer to stick to it. Experimentally, on web and social graphs the average distance is about two thirds of the effective diameter plus one [3]. Moreover, unless linear interpolation is applied, the sampled effective diameter is *not* an estimator of the effective diameter.

¹³Note that both Karinthy and Guare had in mind the *maximum*, not the *average* number of degrees, so they were actually upper bounding the diameter.

	it	se	itse	us	fb
2007	8.224E-06	3.496E-04	8.692E-06	1.352E-05	7.679E-06
2008	1.752E-05	4.586E-05	2.666E-05	5.268E-06	1.359E-06
2009	1.113E-05	4.362E-05	9.079E-06	2.691E-06	6.377E-07
2010	1.039E-05	3.392E-05	7.998E-06	1.395E-06	3.400E-07
2011	1.157E-05	3.551E-05	8.882E-06	1.433E-06	3.006E-07
current	1.143E-05	3.557E-05	8.834E-06	1.434E-06	2.641E-07

Table 5: Density of the datasets.

	it	se	itse	us	fb
2007	10.24 (± 0.58)	5.94 (± 0.21)	8.61 (± 0.43)	4.31 (± 0.06)	4.44 (± 0.10)
2008	6.45 (± 0.11)	4.36 (± 0.08)	4.84 (± 0.15)	4.74 (± 0.07)	5.28 (± 0.08)
2009	4.60 (± 0.06)	4.11 (± 0.04)	4.94 (± 0.06)	4.73 (± 0.06)	5.26 (± 0.09)
2010	4.10 (± 0.06)	4.07 (± 0.04)	4.43 (± 0.10)	4.64 (± 0.05)	5.06 (± 0.04)
2011	3.88 (± 0.04)	3.91 (± 0.04)	4.17 (± 0.06)	4.37 (± 0.04)	4.78 (± 0.11)
current	3.89 (± 0.07)	3.89 (± 0.09)	4.16 (± 0.04)	4.32 (± 0.04)	4.74 (± 0.06)

Table 6: The average distance (\pm sample standard deviation). See also Figure 3 and 7.

the ceiling of the average distance (note, again, that it is the percentage relatively to the reachable pairs): for instance, in the current Facebook graph 92% of the pairs of reachable users are within distance five—four degrees of separation.

4.7 Spid

The *spid* is the *index of dispersion* σ^2/μ (a.k.a. *variance-to-mean ratio*) of the distance distribution. Some of the authors proposed the *spid* [3] as a measure of the “webbiness” of a social network. In particular, networks with a *spid* larger than one should be considered “web-like”, whereas networks with a *spid* smaller than one should be considered “properly social”. We recall that a distribution is called under- or over-dispersed depending on whether its index of dispersion is smaller or larger than 1 (e.g., variance smaller or larger than the average distance), so a network is considered properly social or not depending on whether its distance distribution is under- or over-dispersed.

The intuition behind the *spid* is that “properly social” networks strongly favour short connections, whereas in the web long connections are not uncommon. As we recalled in the introduction, the starting point of the paper was the question “What is the *spid* of Facebook?”. The answer, confirming the data we gathered on different social networks in [3], is shown in Table 8. With the exception of the highly disconnected regional networks in 2007–2008, the *spid* is well below one.

Interestingly, across our collection of graphs we can confirm that there is in general little correlation between the average distance and the *spid*: Kendall’s τ is -0.0105 ; graphical ev-

idence of this fact can be seen in the scatter plot shown in Figure 7.

If we consider points associated with a single network, though, there appears to be some correlation between average distance and *spid*, in particular in the more connected networks (the values for Kendall’s τ are all above 0.6, except for *se*). However, this is just an artifact, as the correlation between *spid* and average distance is *inverse* (larger average distance, smaller *spid*). What is happening is that in this case the variance (see Table 7) is changing in the same direction: distances are smaller (which would imply a larger *spid*) but even more concentrated. Figure 8 displays the mild inverse correlation between average distance and variance in the graphs we analyse: as a network gets tighter, its distance distribution gets less concentrated.

4.8 Diameter

HyperANF cannot provide exact results about the diameter: however, the number of steps of a run is necessarily a lower bound for the diameter of the graph (the set of registers can stabilize before a number of iterations equal to the diameter because of hash collisions, but never after). While there are no statistical guarantees on this datum, in Table 10 we report these maximal observations as lower bounds that differ significantly between regional graphs and the overall Facebook graph—there are people that are significantly more “far apart” in the world than in a single nation.¹⁴

¹⁴Incidentally, as we already remarked, this is the measure that Karinyth and Guare actually had in mind.

	it	se	itse	us	fb
2007	32.19 (± 4.41)	3.87 (± 0.39)	16.31 (± 2.74)	0.52 (± 0.04)	0.64 (± 0.06)
2008	3.76 (± 0.58)	0.69 (± 0.13)	1.69 (± 0.41)	0.81 (± 0.06)	0.85 (± 0.09)
2009	0.64 (± 0.12)	0.56 (± 0.06)	0.83 (± 0.07)	0.61 (± 0.05)	0.68 (± 0.14)
2010	0.39 (± 0.05)	0.50 (± 0.06)	0.63 (± 0.08)	0.53 (± 0.07)	0.52 (± 0.03)
2011	0.38 (± 0.09)	0.51 (± 0.09)	0.61 (± 0.06)	0.39 (± 0.04)	0.40 (± 0.07)
current	0.42 (± 0.09)	0.50 (± 0.11)	0.57 (± 0.04)	0.40 (± 0.04)	0.40 (± 0.04)

Table 7: The variance of the distance distribution (\pm sample standard deviation). See also Figure 4.

	it	se	itse	us	fb
2007	3.14 (± 0.28)	0.65 (± 0.05)	1.89 (± 0.25)	0.12 (± 0.01)	0.14 (± 0.01)
2008	0.58 (± 0.08)	0.16 (± 0.03)	0.35 (± 0.07)	0.17 (± 0.01)	0.16 (± 0.02)
2009	0.14 (± 0.02)	0.14 (± 0.01)	0.17 (± 0.01)	0.13 (± 0.01)	0.13 (± 0.02)
2010	0.10 (± 0.01)	0.12 (± 0.01)	0.14 (± 0.02)	0.11 (± 0.01)	0.10 (± 0.01)
2011	0.10 (± 0.02)	0.13 (± 0.02)	0.15 (± 0.01)	0.09 (± 0.01)	0.08 (± 0.01)
current	0.11 (± 0.02)	0.13 (± 0.02)	0.14 (± 0.01)	0.09 (± 0.01)	0.08 (± 0.01)

Table 8: The index of dispersion of distances, a.k.a. spid (\pm sample standard deviation). See also Figure 7.

To corroborate this information, we decided to also approach the problem of computing the exact diameter directly, although it is in general a daunting task: for very large graphs matrix-based algorithms are simply not feasible in space, and the basic algorithm running n breadth-first visits is not feasible in time. We thus implemented a highly parallel version of the *double-sweep-fringe* heuristic algorithm proposed in [5] (extending the ideas in [16]) for undirected graphs.

The basic idea is as follows: consider some node x , and find (by a breadth-first visit) a node y farthest from x . Find now a node z farthest from y : $d(y, z)$ is a (usually very good) lower bound on the diameter, and actually it *is* the diameter if the graph is a tree (this is the “double sweep” algorithm).

We now consider a node c halfway between y and z : such a node is “in the middle of the graph” (actually, it would be a *center* if the graph was a tree), so if h is the eccentricity of c (the distance of the farthest node from c) we expect $2h$ to be a good upper bound for the diameter.

If our upper and lower bound match, we are finished. Otherwise, we consider the *fringe*: the nodes at distance exactly h from c . Clearly, if M is the maximum of the eccentricities of the nodes in the fringe, $\max\{2(h - 1), M\}$ is a new (and hopefully improved) upper bound. We can iterate the process until no more progress can be made, and then restart the process with a new node x . At each step we obtain better and better upper and lower bounds, and we stop when they match.

Our implementation uses a multicore breadth-first visit: the queue of nodes at distance d is segmented into small blocks handled by each core. At the end of a round, we have computed the queue of nodes at distance $d + 1$. Our

implementation was able to discover the diameter of the current **us** graph (which fits into main memory, thanks to LLP compression) in about twenty minutes.¹⁵

The values reported in Table 10 confirm what we discovered using the approximate data provided by the length of HyperANF runs, and suggest that while the distribution has a low average distance and it is quite concentrated, there are nonetheless (rare) pairs of nodes that are much farther apart.

4.9 Precision

As already discussed in [3], it is very difficult to obtain strong theoretical bounds on data derived from the distance distribution. The problem is that when passing from the neighbourhood function to the distance distribution, the relative error bound becomes an *absolute* error bound: since the distance distribution attains very small values (in particular in its tail), there is a concrete risk of incurring significant errors when computing the average distance or other statistics. On the other hand, the distribution of derived data is extremely concentrated [3].

There is, however, a clear empirical explanation of the unexpected accuracy of our results that is evident from an analysis of the evolution of the empirical relative error of a run on a social network. We show an example in Figure 9.

- In the very first steps, all counters contain essentially disjoint sets; thus, they behave as *independent random*

¹⁵The current **fb** graph did not fit in main memory, which severely restricts the performance of the double-sweep-fringe algorithm, and so we do not report its diameter.

	it	se	itse	us	fb
2007	65% (11)	64% (6)	68% (9)	95% (5)	91% (5)
2008	77% (7)	93% (5)	77% (5)	83% (5)	91% (6)
2009	90% (5)	96% (5)	75% (5)	86% (5)	94% (6)
2010	98% (5)	97% (5)	91% (5)	91% (5)	98% (6)
2011	90% (4)	86% (4)	95% (5)	97% (5)	90% (5)
current	88% (4)	86% (4)	97% (5)	97% (5)	92% (5)

Table 11: Percentage of reachable pairs within the ceiling of the average distance (shown between parentheses).




Figure 4: The graph of variances of the distance distributions. See also Table 7.

variables, and under this assumption their relative error should be significantly smaller than expected: indeed, this is clearly visible from Figure 9.

- In the following few steps, the distribution reaches its highest value. The error oscillates, as counters are now significantly dependent from one another, but in this part the *actual value of the distribution is rather large*, so the absolute theoretical error turns out to be rather good.
- Finally, in the tail each counter contains a very large subset of the reachable nodes: as a result, all counters behave in a similar manner (as the hash collisions are essentially the same for every counter), and the relative error stabilises to an almost fixed value. Because of this stabilisation, *the relative error on the neighbourhood function transfers, in practice, to a relative error on the distance distribution*. To see why this happen,




Figure 5: A plot correlating number of nodes to graph density (for the graph from 2009 on).




Figure 6: A plot correlating number of nodes to the average degree (for the graphs from 2009 on).




Figure 7: A scatter plot showing the (lack of) correlation between the average distance and the spid.




Figure 8: A scatter plot showing the mild inverse correlation between the average distance and the variance.




Figure 9: The evolution of the relative error in a HyperANF computation with relative standard deviation 9.25% on a small social network (dblp-2010).

observe the behaviour of the *variation* of the relative error, which is quite erratic initially, but then converges quickly to zero. The variation is the only part of the relative error that becomes an absolute error when passing to the distance distribution, so the computation on the tail is much more accurate than what the theoretical bound would imply.

We remark that our considerations remain valid for any diffusion-based algorithm using approximate, statistically dependent counters (e.g., ANF [18]).

5 Conclusions

In this paper we have studied the largest electronic social network ever created (≈ 721 million active Facebook users and their ≈ 69 billion friendship links) from several viewpoints.

First of all, we have confirmed that layered labelled propagation [2] is a powerful paradigm for increasing locality of a social network by permuting its nodes. We have been able to compress the us graph at 11.6 bits per link—56% of the information-theoretical lower bound, similarly to other, much smaller social networks.

We then analysed using HyperANF the complete Facebook graph and 29 other graphs obtained by restricting geographically or temporally the links involved. We have in fact carried out the largest Milgram-like experiment ever performed. The average distance of Facebook is 4.74, prompting the title of our paper. The spid of Facebook is 0.08, well below one, as expected for a social network. Geographically restricted networks have a smaller average distance, as it happened in Milgram’s original experiment. Overall, these results help paint the picture of what the Facebook social graph looks like. As expected, it is a small-world graph, with short paths between many pairs of nodes. However, the high degree of compressibility and the study of geographically limited subgraphs show that geography plays a huge role in forming the

overall structure of network. Indeed, we see in this study, as well as other studies of Facebook [1] that, while the world is connected enough for short paths to exist between most nodes, there is a high degree of locality induced by various externalities, geography chief amongst them, all reminiscent of the model proposed in [10].

When Milgram first published his results, he in fact offered two opposing interpretations of what ‘six degrees of separation’ actually meant. On the one hand, he observed that such a distance is considerably smaller than what one would naturally intuit. But at the same time, Milgram noted that this result could also be interpreted to mean that people are on average five ‘worlds apart’: “when we speak of five intermediaries, we are talking about an enormous psychological distance between the starting and target points, a distance which seems small only because we customarily regard ‘five’ as a small manageable quantity. We should think of the two points as being not five persons apart, but ‘five circles of acquaintances’ apart—five ‘structures’ apart.” [17]. From this gloomier perspective, it is reassuring to see that our findings show that people are in fact only four world apart, and not five: when considering another person in the world, a friend of your friend knows a friend of their friend, on average.

References

- [1] Lars Backstrom, Eric Sun, and Cameron Marlow. Find me if you can: improving geographical prediction with social and spatial proximity. In *Proceedings of the 19th international conference on World wide web*, pages 61–70. ACM, 2010.
- [2] Paolo Boldi, Marco Rosa, Massimo Santini, and Sebastiano Vigna. Layered label propagation: A multiresolution coordinate-free ordering for compressing social networks. In Sadagopan Srinivasan, Krithi Ramamritham, Arun Kumar, M. P. Ravindra, Elisa Bertino, and Ravi Kumar, editors, *Proceedings of the 20th international conference on World Wide Web*, pages 587–596. ACM, 2011.
- [3] Paolo Boldi, Marco Rosa, and Sebastiano Vigna. HyperANF: Approximating the neighbourhood function of very large graphs on a budget. In Sadagopan Srinivasan, Krithi Ramamritham, Arun Kumar, M. P. Ravindra, Elisa Bertino, and Ravi Kumar, editors, *Proceedings of the 20th international conference on World Wide Web*, pages 625–634. ACM, 2011.
- [4] Paolo Boldi and Sebastiano Vigna. The WebGraph framework I: Compression techniques. In *Proc. of the Thirteenth International World Wide Web Conference (WWW 2004)*, pages 595–601, Manhattan, USA, 2004. ACM Press.
- [5] Pierluigi Crescenzi, Roberto Grossi, Claudio Imbrenda, Leonardo LANZI, and Andrea Marino. Finding the diameter in real-world graphs: Experimentally turning a lower bound into an upper bound. In Mark de Berg and Ulrich Meyer, editors, *Algorithms - ESA 2010, 18th Annual European Symposium, Liverpool, UK, September 6-8, 2010. Proceedings, Part I*, volume 6346 of *Lecture Notes in Computer Science*, pages 302–313. Springer, 2010.
- [6] Elizabeth DeVita-Raebu. If Osama’s only 6 degrees away, why can’t we find him? *Discover Magazine*, February 2008.
- [7] Philippe Flajolet, Éric Fusy, Olivier Gandouet, and Frédéric Meunier. HyperLogLog: the analysis of a near-optimal cardinality estimation algorithm. In *Proceedings of the 13th conference on analysis of algorithm (AofA 07)*, pages 127–146, 2007.
- [8] Sharad Goel, Roby Muhamad, and Duncan Watts. Social search in "small-world" experiments. In *Proceedings of the 18th international conference on World wide web*, pages 701–710. ACM, 2009.
- [9] Michael Gurevitch. *The social structure of acquaintance-ship networks*. PhD thesis, Massachusetts Institute of Technology, Dept. of Economics, 1961.
- [10] Jon M. Kleinberg. Navigation in a small world. *Nature*, 406(6798):845–845, 2000.
- [11] Silvio Lattanzi, Alessandro Panconesi, and D. Sivakumar. Milgram-routing in social networks. In *Proceedings of the 20th international conference on World wide web*, pages 725–734. ACM, 2011.
- [12] Jure Leskovec and Eric Horvitz. Planetary-scale views on a large instant-messaging network. In *Proceeding of the 17th international conference on World Wide Web*, pages 915–924. ACM, 2008.
- [13] Jure Leskovec, Jon Kleinberg, and Christos Faloutsos. Graph evolution: Densification and shrinking diameters. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 1(1):2–es, 2007.
- [14] Lun Li, David L. Alderson, John Doyle, and Walter Willinger. Towards a theory of scale-free graphs: Definition, properties, and implications. *Internet Math.*, 2(4), 2005.
- [15] David Liben-Nowell, Jasmine Novak, Ravi Kumar, Prabhakar Raghavan, and Andrew Tomkins. Geographic routing in social networks. *Proceedings of the National Academy of Sciences of the United States of America*, 102(33):11623–11628, August 2005.

- [16] Clémence Magnien, Matthieu Latapy, and Michel Habib. Fast computation of empirically tight bounds for the diameter of massive graphs. *J. Exp. Algorithmics*, 13:10:1.10–10:1.9, 2009.
- [17] Stanley Milgram. The small world problem. *Psychology Today*, 2(1):60–67, 1967.
- [18] Christopher R. Palmer, Phillip B. Gibbons, and Christos Faloutsos. Anf: a fast and scalable tool for data mining in massive graphs. In *KDD '02: Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 81–90, New York, NY, USA, 2002. ACM.
- [19] Anatol Rapoport and William J. Horvath. A study of a large sociogram. *Behavioral Science*, 6:279–291, October 1961.
- [20] Jeffrey Travers and Stanley Milgram. An experimental study of the small world problem. *Sociometry*, 32(4):425–443, 1969.
- [21] Qi Ye, Bin Wu, and Bai Wang. Distance distribution and average shortest path length estimation in real-world networks. In *Proceedings of the 6th international conference on Advanced data mining and applications: Part I*, volume 6440 of *Lecture Notes in Computer Science*, pages 322–333. Springer, 2010.